

## HYDRAULIC CLAMSHELL BUCKET - MODEL HC5 & HC6


### THE ANVIL ADVANTAGE

#### ROTATION

- \* Design available for direct mount, knock-around or power rotation
- \* Underwater rotation option available

#### CYLINDERS

- \* 5 or 6 inch Bore
- \* Oversized and pressure tested
- \* Designed for underwater applications



#### OPTIONAL CUTTING EDGES

- \* Bolt on reversible bottom and partial side lips
- \* Bolt on teeth
- \* Rubber sealed lip  
Weld on or Bolt on
- \* Lap sealed lip - weld on only

#### PINS & BUSHINGS

- \* Pins are machined from 4140 heat treated steel
- \* Bushings are extra heavy, thick walled and made of chromium molybdenum 4140/42



- Material upgrades available for pins, bushings, lips and bowl plates
- Dust or environmental covers available

1 YEAR WARRANTY AGAINST MANUFACTURER DEFECTS



## HYDRAULIC CLAMSHELL BUCKET - MODEL HC5 & HC6

Heaped Capacity	Height Open	Height Closed	Length Open	Length Closed	Width	Model HC5 Weight	Model HC6 Weight
2 cu yd	5' 0"	7' 8"	8' 8"	7' 0"	4' 2"	5,600	
3 cu yd	5' 4"	8' 7"	10' 4"	7' 3"	5' 8"	6,000	6,600
3.5 cu yd	5' 4"	8' 7"	10' 4"	7' 3"	6' 0"	6,250	6,850
4 cu yd	5' 4"	8' 7"	10' 7"	7' 8"	6' 2"	6,600	7,200
4.5 cu yd	5' 5"	9' 0"	10' 7"	7' 8"	6' 4"	6,950	7,350
5 cu yd	5' 5"	9' 0"	11' 1"	7' 8"	6' 5"	7,400	8,000
5.5 cu yd	5' 7"	9' 3"	11' 6"	9' 0"	6' 7"	7,600	8,200
6 cu yd	5' 7"	9' 7"	11' 8"	9' 0"	6' 9"	7,800	8,400
6.5 cu yd	5' 7"	9' 7"	11' 9"	9' 0"	7' 4"	8,200	8,800
7 cu yd	5' 7"	9' 9"	11' 11"	9' 0"	7' 11"		9,300
8 cu yd	6' 0"	9' 11"	12' 5"	9' 4"	8' 3"		10,300
9 cu yd	6' 2"	10' 2"	13' 3"	11' 1"	8' 8"		12,000

**Specifications:** In accordance with our established company policies of constantly improving our products, we reserve the right to change or modify our product or specifications at any time without notice.

\* All weights include 360 power rotation, subtract 100lbs for no rotation

REV. 4.3.13

PO BOX 216/261 HIGHWAY 19  
SLAUGHTER, LOUISIANA 70777  
USA

**225.654.8222**

WWW.ANVILATTACHMENTS.COM  
SALES@ANVILATTACHMENTS.COM