

25Z-1

MINI EXCAVATOR



Operating Weight 5,622 lbs

Engine Power 24.7 HP

Bucket Capacity 5,015 lbf



TOUGH TO BEAT FOR PERFORMANCE

Choose the 25Z-1 for true zero tailswing in tight spaces: all designed with durability, reliability and towability in mind.



ENHANCED POWER

The 25Z-1 has performance enhancements across the hydraulics, tracking, attachments and notably, the new 24.7 hp Kohler engine.



TOUGH TO BEAT FOR SAFETY

Follow-me-home worklights and our unique 2GO hydraulic isolation system provide extra safety on site, whilst maintaining a safe towing weight for extra mobility.



ADVANCED LIFT OVERLOAD

With our lift overload feature, visual indicators and audible alarms ensure machine safety limits are clear.

TOUGH TO BEAT FOR COMFORT

Experience unmatched comfort in our redesigned cab. Optional air-conditioning, premium suspension seat and Bluetooth radio create an ideal working environment.



NEW CAB

Our new, more spacious cab featuring flat glass surfaces, provides more all-round space and visibility than ever before, with easier and safer access.



TOUGH TO BEAT FOR COST OF OWNERSHIP

Designed to deliver lower operating costs with 500-hour greasing intervals, auto stop and idle functions, coloured hydraulic hoses, plus flat glass.



SAVE FUEL

Auto Idle can be activated to increase fuel efficiency, while nine engine modes to let you choose the perfect balance of performance or economy.


TOUGH TO BEAT FOR DURABILITY

In a world of harsh environments, JCB mini excavators are tough. Built to withstand the challenges of any site, they ensure reliability when it matters most.



HIGH STRENGTH BOOM

Our robot welded boom and dipper is made from high tensile steel for long life durability.



25Z-1

MINI EXCAVATOR

SPECIFICATION

MODEL	25Z-1
Dig Depth	9' 10" or 118"
Service Intervals	500 hours
Transport Length	13' 9" or 165"
Transport Height	8' 1" or 97"18ft 5in
Transport Width	4' 11" or 59"
Operating Weight	5622 kg



STANDARD FEATURES

- 500 hour greasing intervals
 - 24.7 EPA Tier 4 final
 - No engine after-treatment
 - Auto kick-down track motors
 - 9 tie-down points
- Bolt-on grab handles
 - LED worklights
 - Steel bodywork
 - 2-way dozer
 - Rubber tracks



25Z-1

MINI EXCAVATOR

REQUEST A QUOTE



TOUGH TO BEAT

WHY JCB

